


## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>B65D</b>		A2	(11) International Publication Number: <b>WO 98/49063</b>
			(43) International Publication Date: 5 November 1998 (05.11.98)
(21) International Application Number: PCT/US98/08664 (22) International Filing Date: 30 April 1998 (30.04.98) (30) Priority Data: 9708931.2      1 May 1997 (01.05.97)      GB 08/882,654      25 June 1997 (25.06.97)      US (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US      08/882,654 (CON) Filed on      25 June 1997 (25.06.97) (71) Applicant (for all designated States except US): DURACELL INC. [US/US]; Berkshire Industrial Park, Bethel, CT 06801 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): POPE, Peter [GB/GB]; Fairholme, Stockcroft Road, Balcombe, West Sussex RH17 6LN (GB). PEARSE, Michael [GB/GB]; 4 Hurst Farm Road, East Grinstead, West Sussex RH19 4BJ (GB). MARSHALL, Martin [GB/GB]; 14 Sorrel Close, Huntington, Chester CH3 6SB (GB). PYTCHES, Richard, Edward		[GB/GB]; 6 Rectory Close, Off Church Lane, Famdon, Chester CH3 6PS (GB). (74) Agents: HANDELMAN, Joseph, H.; Ladas & Parry, 26 West 61st Street, New York, NY 10023 (US) et al. (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.	

(54) Title: PACKAGING



## (57) Abstract

In a package of batteries of the zinc air type the batteries are received in respective pockets formed in a container base and have their air holes covered by respective covering portions of a unitary element of flexible sheet material, the element including a spine portion attached by adhesive to the base. The batteries are loaded simultaneously into the pockets by an automated filling machine and the flexible sheet element is subsequently applied by an automated labelling machine.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

- 1 -

PACKAGING

This invention is concerned with packaging. It is sometimes desirable to package several articles individually within a common pack to enable the consumer to remove the articles in turn for use. The invention relates in particular to the packaging of small batteries as may be used to power personal appliances such as hearing aids. In the case of appliances, like hearing aids, which tend to be used continuously, battery life is relatively short and users generally wish to carry spare batteries with them and to purchase batteries several at a time, for example in packs of four or six batteries. It is known, therefore, to package batteries in groups of 4 or 6 in plastic cases for sale to customers. A type of small battery well suited to appliances such as hearing aids is a zinc air battery. A zinc air battery includes a small air hole in its metal casing and the air hole must be exposed for the battery to function. However, even if the battery is not being used to power an appliance, it can lose its power, typically in about three months, if the air hole is exposed. For this reason it is necessary for the air hole to be sealed closed from the time of manufacture of the battery until it is to be fitted into an appliance. A technique which has been used for the packaging of DURACELL ACTIVAIR zinc air batteries is to cover the air hole by applying an adhesive plastics disc to the battery, this disc having a tab portion which protrudes beyond the edge of the battery for ease of grasping the disc for removal from the battery when the battery is required for use. The known DURACELL ACTIVAIR battery package, which hold e.g. 4 or 6, batteries equipped with their individual sealing discs, comprises a plastics container including a base formed with pockets to receive and retain the respective batteries, and a cover hinged to the base for movement between a closed position in which the cover and base form an enclosure enclosing the batteries, and an open position providing access to the enclosed batteries for removal of individual batteries. Whilst these battery packages are quite convenient for consumers, they are not without drawbacks from a manufacturing viewpoint. Batteries with the sealing discs applied thereto make automated filing of the containers difficult to achieve and as a consequence it has been the practice to load the batteries into the pockets of the container base manually, which is inefficient.

The present invention addresses the foregoing drawback and as a

- 2 -

solution it proposes a package comprising a base with a plurality of pockets, respective articles being received in the pockets, and a unitary element of flexible sheet material including a spine portion adhered to the base, and an article covering portions connected to the spine portion and extending over respective pockets, the covering portions being adhesively connected to the articles received in the pockets.

Where the articles are batteries, in particular zinc air batteries, the covering portions will cover and seal closed the air holes of the batteries until they are required for use. As the unitary sheet material element is adhesively attached to the base, it can assist in retaining the batteries in their pockets, which means that the pockets themselves are not solely responsible for keeping the batteries in place and, therefore, need not grip the batteries firmly, thereby allowing the pockets to be formed to broader manufacturing tolerances and possibly enabling easier removal of individual batteries from their pockets. When a battery is required for use, it is lifted from its pocket, the flexibility of the sheet element permitting such removal, and the battery is peeled away from the covering portion to which it is adhesively attached. To assist the battery removal the covering portions of the sheet element preferably include tabs which project in a direction away from the spine portion. By holding a tab in the fingers and pulling it away from the base, the associated covering portion will be deflected and lift the battery adhered thereto from its pocket.

The use of a unitary element of flexible sheet material to cover the batteries facilitates automation of the packaging process since such an element can be applied by a conventional labelling machine after the batteries have been loaded into the pockets, which in turn means that the batteries can be simultaneously loaded into the pockets by means of an automated filling machine.

Thus, in accordance with a second aspect of the invention resides in a method of packaging articles comprising the steps of:

- (i) providing a base having a plurality of separate pockets for accommodating respective articles;
- (ii) loading articles into the pockets by means of an automated filling machine; and
- (iii) applying a unitary element of flexible sheet material over the

- 3 -

base and the articles loading into the pockets by means of an automated labelling machine, the element including a portion adhesively attached to the base, and article covering portions adhesively attached to the respective articles.

Most conveniently the flexible sheet elements are supplied to the  
5 labelling machine in the form of a strip with a series of elements carried on a backing web.

A more detailed description of the invention will now be given with reference to the accompanying drawings, in which:

Figure 1 shows in perspective a zinc air battery package embodying  
10 the invention, the package being shown in a closed condition;

Figure 2 shows the package of Figure 1 in an open condition and in front elevation;

Figures 3 and 4 show the package of Figure 2 in plan and side elevation, respectively;

15 Figure 5 is a front elevation of the container base before the pockets are filled with batteries; and

Figure 6 shows schematically an apparatus for performing the packaging process.

The zinc air battery package illustrated in the drawing includes a  
20 plastics container 1 moulded in one piece and including a base 2 and a cover 3 connected to the base by an integral hinge 4 to allow the cover to move between the closed and open positions shown in Figures 1 and 2 respectively. To maintain the cover in the closed condition complementary snap-catch formations 5, 6 are provided at the edges of the base and cover remote from the hinge 4. The container  
25 base 2 is formed on its inner or upper side with a slightly raised platform or plinth 10 on which is an upstanding longitudinal rail 11 defining a substantially flat upper surface 9 (Fig. 5). On either side of the rail 11 there are formed pockets 12 (Fig. 5) in which respective zinc air batteries 14 are accommodated. As shown there are a total of six pockets arranged in three pairs, the pockets 12 of each pair being  
30 laterally opposed with respect to the rail 11. The batteries 14 are conventional and cylindrical in shape. When inserted into the pockets 12 the upper flat faces of the batteries, these being the faces in which the air holes are provided, lie substantially

- 4 -

coplanar with the upper surface of the rail 11. Applied over the base 2 and the batteries 14 accommodated in the pockets is a unitary element 15 of flexible plastics sheet material. The element includes a spine portion 16 which overlies and is adhesively connected to the upper surface 9 of the rail 11. Extending from the spine portion are six covering portions 17 disposed to overly the respective pockets 12 and the batteries 14 received therein. These covering portions 17 are adhesively attached to the respective underlying batteries 14. Each covering portion has a tab 18 projecting in a direction opposite the spine portion 16 beyond the edge of the associated battery 14 and the pocket 12 in which it is received. Although the material of the sheet element 15 is flexible it has sufficient stiffness to maintain the substantially flat condition in which it is applied over container base 2 and batteries 14, and hence the sheet element 15 assists in retaining the batteries on the base in spite of the batteries having a loose fit in the pockets. When an individual battery is required for use, the tab 18 of the covering portion 17 to which the battery is attached is manually grasped, e.g. between the thumb and forefinger and moved away from the base 2, whereby the battery 14 is lifted out of its pocket 12, the element 15 naturally bending at the join between the spine and covering portions 16, 17. The battery is then peeled away from the covering portion 17, the adhesive allowing this to be achieved without undue difficulty.

It will be appreciated that modifications can be made to the described package without departing from the inventive principles. In particular the shape and size of the pockets can be varied to suit the particular batteries to be packaged. Of course, the number of pockets will be chosen according to the number of batteries to be included in the package.

The described package can be produced by the following process. The moulded containers 1 are fed to an automated filling machine 20 (Fig. 6) which is also supplied with batteries 14. The filling machine simultaneously fills the pockets 12 of the container base by loading respective batteries 14 into the pockets 12, the batteries all having their surfaces with the air holes uppermost. The containers with batteries loaded therein are delivered in turn to an automated labelling machine 21 which applies the sheet element 15 onto the container base 2 and batteries 14 so that it covers and is adhesively secured to the upper surfaces of

- 5 -

the rail 11 and the batteries. The sheet elements 15 are supplied to the labelling machine as a strip, e.g. supplied from a roll, the strip including a backing web 22 on which the elements 15 are carried and to which they are removably attached by the same adhesive used to secure the elements to the container base and the

5 batteries. The labelling machine removes individual elements from the backing web before the labelling machine removes individual elements from the backing web before applying them.

While it is apparent that modifications and changes can be made within the spirit and scope of the present invention, it is our intention however, only

10 to be limited by the appended claims.

- 6 -

CLAIMS




1. A package comprising:  
a base with a plurality of pockets, adapted to receive articles therein;  
and  
5 a unitary element of flexible sheet material including a spine portion  
adhered to said base and article covering portions connected to the spine portion and  
extending over the respective pockets, the covering portions being adhesively  
connected to the articles received in the pockets.
2. A package of batteries comprising:  
10 a container including a base with a plurality of pockets; and  
a cover movable relative to the base to open and close the container;  
a plurality of batteries received in respective pockets;  
a unitary element of flexible sheet material including  
a spine portion adhered to the base;  
15 battery covering portions connected to the spine portion and  
extending over the respective pockets; and  
the covering portions being adhesively connected to the batteries  
received in the pockets.
3. A package according to claim 1 or 2, wherein the covering portions  
20 are arranged in opposed pairs extending from opposite sides of the spine portion.
4. A package according to claim 1, 2 or 3, wherein each covering  
portion includes a tab projecting therefrom in the direction away from the spine  
portion.
5. A method of packaging articles comprising the steps of:  
25 (i) providing a base having a plurality of separate pockets for  
accommodating respective articles;  
(ii) loading articles into the pockets by means of an automated filling  
machine; and  
(iii) applying a unitary element of flexible sheet material over the  
30 base and the articles loaded into the pockets by means of an automated labelling  
machine, the element including a portion adhesively attached to the base, and article  
covering portions adhesively attached to the respective articles.



- 7 -



6. A method of packaging batteries comprising the steps of:
- (i) providing a base having a plurality of pockets for accommodating respective batteries;
  - (ii) simultaneously loading batteries into the pockets; and
  - (iii) applying a unitary element of flexible sheet material over the
- 5 base and batteries loaded into the pockets, the element being applied by an automated labelling machine, and the element including a portion adhesively attached to the base, and battery covering portions adhesively attached to the respective batteries.
- 10 7. A method according to claim 5 or 6, wherein the automated labelling machine is supplied with a series of flexible elements carried on a backing web.

1/3


**FIG. 1****FIG. 2****FIG. 3**

SUBSTITUTE SHEET (RULE 26)

2/3

**FIG. 4****FIG. 5**

SUBSTITUTE SHEET (RULE 26)


**FIG. 6**



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :  <b>B65D</b>	<b>A2</b>	(11) International Publication Number: <b>WO 98/49063</b>  (43) International Publication Date: 5 November 1998 (05.11.98)
(21) International Application Number: PCT/US98/08664 (22) International Filing Date: 30 April 1998 (30.04.98) (30) Priority Data: 9708931.2 1 May 1997 (01.05.97) GB 08/882,654 25 June 1997 (25.06.97) US (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 08/882,654 (CON) Filed on 25 June 1997 (25.06.97) (71) Applicant (for all designated States except US): DURACELL INC. [US/US]; Berkshire Corporate Park, Bethel, CT 06801 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): POPE, Peter [GB/GB]; Fairholme, Stockcroft Road, Balcombe, West Sussex RH17 6LN (GB). PEARSE, Michael [GB/GB]; 4 Hurst Farm Road, East Grinstead, West Sussex RH19 4BJ (GB). MARSHALL, Martin [GB/GB]; 14 Sorrel Close, Huntington, Chester CH3 6SB (GB). PYTCHES, Richard, Edward		[GB/GB]; 6 Rectory Close, Off Church Lane, Farndon, Chester CH3 6PS (GB). (74) Agents: HANDELMAN, Joseph, H.; Ladas & Parry, 26 West 61st Street, New York, NY 10023 (US) et al. (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.

(54) Title: PACKAGING



## (57) Abstract

In a package of batteries of the zinc air type the batteries are received in respective pockets formed in a container base and have their air holes covered by respective covering portions of a unitary element of flexible sheet material, the element including a spine portion attached by adhesive to the base. The batteries are loaded simultaneously into the pockets by an automated filling machine and the flexible sheet element is subsequently applied by an automated labelling machine.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.


AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>B65D 43/16, 85/58, H01M 2/10</b>		<b>A3</b>	(11) International Publication Number: <b>WO 98/49063</b>
			(43) International Publication Date: 5 November 1998 (05.11.98)
(21) International Application Number: PCT/US98/08664		[GB/GB]: 6 Rectory Close, Off Church Lane, Farndon, Chester CH3 6PS (GB).	
(22) International Filing Date: 30 April 1998 (30.04.98)		(74) Agents: HANDELMAN, Joseph, H.; Ladas & Parry, 26 West 61st Street, New York, NY 10023 (US) et al.	
(30) Priority Data: 9708931.2 1 May 1997 (01.05.97) GB 08/882.654 25 June 1997 (25.06.97) US		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 08/882,654 (CON) Filed on 25 June 1997 (25.06.97)		Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(71) Applicant (for all designated States except US): DURACELL INC. [US/US]; Berkshire Corporate Park, Bethel, CT 06801 (US).		(88) Date of publication of the international search report: 25 March 1999 (25.03.99)	
(72) Inventors: and (75) Inventors/Applicants (for US only): POPE, Peter [GB/GB]; Fairholme, Stockcroft Road, Balcombe, West Sussex RH17 6LN (GB). PEARSE, Michael [GB/GB]; 4 Hurst Farm Road, East Grinstead, West Sussex RH19 4BJ (GB). MARSHALL, Martin [GB/GB]; 14 Sorrel Close, Huntington, Chester CH3 6SB (GB). PYCHES, Richard, Edward			

(54) Title: PACKAGE AND METHOD FOR PACKAGING OBJECTS SUCH AS ZINC AIR BATTERIES



## (57) Abstract

In a package of batteries of the zinc air type the batteries are received in respective pockets formed in a container base and have their air holes covered by respective covering portions of a unitary element of flexible sheet material, the element including a spine portion attached by adhesive to the base. The batteries are loaded simultaneously into the pockets by an automated filling machine and the flexible sheet element is subsequently applied by an automated labelling machine.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		



# INTERNATIONAL SEARCH REPORT

In: tional Application No

PCT/US 98/08664

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 B65D43/16 B65D85/58 H01M2/10

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 B65D H01M B65B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 209 091 A (LIEBERMAN WALTER G) 24 June 1980 see the whole document ---	1-4
A	GB 761 629 A (MALLORY BATTERIES) see the whole document ---	1-4
A	EP 0 529 199 A (VARTA BATTERIE) 3 March 1993 see the whole document ---	1,5,6
A	US 3 399 509 A (GRECO LAWRENCE S ET AL) 3 September 1968 see the whole document ---	5-7
A	GB 1 426 715 A (SCHUELER G B E) 3 March 1976 see the whole document -----	5-7

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### Special categories of cited documents

"A" document defining the general state of the art which is not considered to be of particular relevance  
 "E" earlier document but published on or after the international filing date  
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  
 "O" document referring to an oral disclosure, use, exhibition or other means  
 "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  
 "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  
 "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  
 "&" document member of the same patent family

Date of the actual completion of the international search

8 February 1999

Date of mailing of the international search report

15/02/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040. Tx. 31 651 epo nl.  
 Fax: (+31-70) 340-3016

Authorized officer

Pernice, C

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/08664

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4209091 A	24-06-1980	AU 523928 B	19-08-1982
		AU 4963879 A	14-02-1980
		BE 878208 A	03-12-1979
		CA 1125240 A	08-06-1982
		FR 2432980 A	07-03-1980
		JP 55043788 A	27-03-1980
		NL 7905899 A	12-02-1980
GB 761629 A		NONE	
EP 0529199 A	03-03-1993	DE 4128248 A	04-03-1993
		DE 9116735 U	29-07-1993
		DE 59202213 D	22-06-1995
		HK 175995 A	24-11-1995
		JP 5213368 A	24-08-1993
		US 5203455 A	20-04-1993
US 3399509 A	03-09-1968	NONE	
GB 1426715 A	03-03-1976	NONE	